EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	@ad<"20021031" and (execut\$3 or run\$4 or access\$5 or activat\$3) same (audio or sound or media) near3 (program or application or software) with (sound or content) with (associat\$3 or correspond\$3 or relat \$3) with (message or signal) same (server or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03
L2	3	@ad<"20021031" and (execut\$3 or run\$4 or access\$5 or activat\$3) same (audio or sound or media) near3 (program or application or software) with (sound or content or alert or warning) with (associat \$3 or correspond\$3 or relat\$3) with (message or signal) same (server or client)	US-PCPUB; USPAT; EPO; JPO; JPO; JPO; IBM_TDB	OR OR	ON	2008/04/03 19:34
L3	T	@ad<"20021031" and (servlet) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or wirt\$3 or notif\$4 or wirt\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond \$3 or relat\$3 or accord \$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (execut\$3 or run\$4 or access\$5 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) near3 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR .	ON	2008/04/03

.4	40	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$6 or with\$3 or monitor\$3) with (audio or sound or alarm or warning or notiffication or error) with (associat\$3 or correspond\$3 or relat \$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (execut\$3 or run\$4 or access\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) near3 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03
L5	23	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfe\$4 or transfe\$4 or transfe\$5 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat\$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or notification or sound or alert or warning or notification) near3 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03

L6	3	@ad<"20021031" and (servlet or servery) with (send\$3 or transmit\$4 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat\$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or run\$4 or access\$3 or run\$5 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03
L7	3	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or with\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat\$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or rus\$3 or initiat\$3 or rus\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03 19:42

.8	2	709/203.ccls. and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or motif\$4 or writ\$3 or motif\$4 or writ\$3 or motif\$4 or vwrit\$3 or motif\$4 or or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat \$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or run\$4 or access\$3 or run\$4 or access\$3 or run\$4 or access\$3 or or un\$4 or access\$3 or nun\$4 or access\$3 or nun\$4 or access\$3 or or un\$4 or access\$3 or nun\$4 or access\$3 or nun\$4 or access\$3 or nun\$4 or or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2008/04/03 19:44
L9	0	709/217.ccls. and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat \$3 or accorr\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03 19:50

L10		709/219.cds. and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or transfer\$4 or transfer\$4 or torward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat\$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03 19:51
L11	0	709/230.ccls. and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat \$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03

112	1	"709"/\$ and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond \$3 or relat\$3 or accord \$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$5 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03
L13	0	"707"/\$ and (servlet or server) with (send\$3 or transmit\$4 or transler\$4 or froward\$3 or notif\$4 or writ\$3 or motif\$4 or writ\$3 or motif\$4 or writ\$3 or motifor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or accord \$3 or relat\$3 or accord \$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or us\$3) with (audio or som or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03

L14	0	"705"/\$ and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or fronsfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond \$3 or relat\$3 or accord \$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US PGPUB; USPAT; EPC; JPC; DEFWENT; IBM_TDB	OR	ON	2008/04/03 19:54
L15	0	"715"/\$ and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or fonward\$3 or notif\$4 or wit\$3 or motif\$4 or wit\$3 or motifor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond\$3 or relat\$3 or accord\$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or accoss\$3 or activat\$3 or initiat\$3 or perform\$3 or us\$3) with (audio or sound or alert or warning or notification) adj (program or application or software or module)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/04/03 19:55

L16	O	"717"/\$ and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notils\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or warning or notification or error) with (associat\$3 or correspond \$3 or relat\$3 or accord \$4) with (message or signal) same (client or user or subscriber or browser or pipe) and (server or client) with (execut\$3 or run\$4 or access\$3 or activat\$3 or initiat\$3 or initiat\$3 or alett or warning or notification) adj (program or application or software or module)	US PCPUB; USPAT; EPO; JPO; DETWENT; IBM_TDB	OR	ON	2008/04/03 19:56
S1	2	"6546554".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/06 17:33
S2	2	"5805442".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:34
S3	2	"6038486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:35
S4	2	"6061603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:37
S5	2	"5928323".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/06 17:39

S6	2	["5895457".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:39
S7	2	["6049775".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
S8	2	"5980090".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
S9	1952	@ad<"20021031" and (web or server or servlet) with (send\$3 or transmit\$4 or transfer\$4) with (alarm or notification) with (client or user or subscriber)	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:45
S10	0	@ad<"20021031" and (servlet) with (send\$3 or transmit\$4 or transfer\$4) with (audio or sound) near3 (alarm or notification) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:45
S11	6	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3) with (audio or sound) near3 (alarm or notification) with (client or user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:48
S12	301	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:49

S13	0	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and (pipe same servlet)	US-PGPUB; USPAT; EPO; JPO; DEEHWENT; IBM_TDB	OR		2007/08/06
S14	0	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfes\$4 or forward\$3 or notif\$4\$ with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and ((queue or pipe or bus) same servlet)	US PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:51
S15	9	@ad<"20021031" and (servlet or servery) with (send\$3 or transmit\$4 or transmit\$4 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber) and ((queue or pipe or bus) same (writ\$3 or insert\$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	ON	2007/08/06 17:54
S16	9	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfes\$4 or forward\$3 or notif\$4\$ with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser) and ((queue or pipe or bus) same (writ \$3 or insert\$5 or servlet!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:55

S17	9	@ad-"20021031" and (servlet or server) with (sends3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$64 or writ\$3) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser) and ((queue or pipe or bus) same (writ\$3 or insert\$3 or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:55
S18	9	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3) with (audio or sound) near3 (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((queue or pipe or bus) same (writ\$3 or insert\$3 or servlet))	US-PCPUB; USPAT; EPO; JPO; DEFMENT; IBM_TDB	OR	ON	2007/08/06 17:56
S19	68	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transter\$4 or forward\$3 or notif\$4 or writ\$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((queue or pipe or bus) same (writ \$3 or insert\$5)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2007/08/06 17:56

S20	23	@ad-"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$6 or writ\$3) with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((writ\$3 or insert\$3 or servlet) with (audio or sound) with (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus))	IGS PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:58
\$21	25	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or sound) with (audio or sound) with (client or user or subscriber or browser or pipe) and (fwrit\$3 or insert\$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:59
S22	25	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or writ\$3 or monitor\$3 with (audio or sound) with (alarm or notification or message or signal) with (client or user or subscriber or browser or pipe) and ((writ\$3 or insert\$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06

\$23	24	@ad<"20021031" and (servlet or server) with (send\$3 or transmit\$4 or transfer\$4 or forward\$3 or notif\$4 or with\$3 or monitor\$3) with (audio or sound or alarm or notification or error) near3 (message or signal) with (client or user or subscriber or browser or pipe) and ((writ\$3 or insert\$3) same (audio or sound) with (alarm or notification or message or signal) same (queue or pipe or bus or servlet))	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	ÓN	2007/08/06
S24	4	@ad<"20021031" and (servlet) with (send\$3 or transmit\$4 or transfer\$4 or wit\$3 or nontir\$4 or wit\$3 or monitor\$3) with (audio or sound or alarm or notification or error) near3 (message or signal) with (dient or user or subscriber or browser or pipe)	US-PGPUB; USPAT; EPO; JPO; DEHWENT; IBM_TDB	OR	ON	2007/08/06 18:06
S25	15	@ad<"20021031" and (servlet) with (send\$3 or transmit\$4 or transler\$4 or fonward\$3 or notif\$4 or writ\$3 or monitor\$3) with (audio or sound or alarm or notification or error) near3 (message or signal) same (client or user or subscriber or ibrowser or pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 18:06

^{4/3/2008 7:58:56} PM

C:\Documents and Settings\qnguyen4\My Documents\EAST\Workspaces\\10697241_TransferringNotificationMessage.wsp